

*

Diagnostic method

<130> US 60/413,709

<140> US 60/413,709

<141> 2002-09-26

<160> 62

<110>

<120>

<170> PatentIn version 3.1

<210> 1

<211> 14

<212> DNA

<213> Artificial

<220>

<221> misc_feature

<223> detection primer oligonucleotide segment for the B-RAF mutation G1388A

<400> 1 ggacaaagaa ttga

14

<210> 2

<211> 14

<212> DNA

<213> Artificial

<220>

<221> misc_feature

<223>	detection primer G1388T	32701. oligonucleotide	ST25.txt segment	for the B	-RAF mutation
		•			:
<400> ggacaa	2 agaa ttgt				14
<210>	3				
<211>	14				
<212>	DNA				•
<213>	Artificial			•	
		•			÷ •
<220>					
<221>	misc_feature				
<223>	detection primer 1394C	oligonucleotide	segment	for the B-	RAF mutation G
		•	•		
<400>	3 ggat ctgc	Y.			14
	× .		•		•
<210>	4				• .
<211>	14				
<212>	DNA				
<213>	Artificial				
		•			
<220>					
<221>	misc_feature				
<223>	detection primer G1394A	oligonucleotide	segment	for the B	-RAF mutation
		·			•
<400>	4 ggat ctga				14
<210>	5				
<211>	14				
<212>	DNA				
<213>	Artificial				•
		•			
<220>				*	•

<221>	misc_featur	۰.	32701.	3123. (X	•				
			ali annual anti do	coamont	for	+h0	B	mutation	
<223>	detection p 1394T	rimer	oligonucleotide	segment	101	the	B-KAF	mutation	ı
	• •			•				•	
<400>	5		· · ·						
	ggat ctgt								14
210									
<210>	6			4					
<211>	14								
<212>	DNÁ								
<213>	Artificial								
<220>									
<221>	misc_featur	·e							
<223>	detection p	rimer	oligonucleotide	segment	for	the	B-RAF	mutation	ı Ģ
	1403C								-
·									
<400>	6 tcat ttgc							Ŧ	14
ccigga	ccae eege								
<210>	7								
<211>	14	•		•			•		
<212>	DNA			e •					
<213>	Artificial								
<220>			•						
<221>	misc_featur	•	3		£ ·	حامد	D D45		
<223>	detection p	orimer	oligonucleotide	segment	Tor	tne	R-KAF	mutation	1 G
<400>	7			•	•				
	tcat ttga		•						14
.210									
<210>			•						
<211>	14 .								
.717.	DALA								

<213> Artificial

<220>		32.02.		-			
<221>	misc_feature						
<223>	detection primer 1753A	oligonucleotide	segment	for	the	B-RAF	mutation G
<400> tatatt	8 tctt cata						14
<210>	9	•					
<211>	14						
<212>	DNA						. •
<213>	Artificial					•	,
<220>							
<221>	misc_feature						
<223>	detection primer 1782G	oligonucleotide	segment	for	the	B-RAF	mutation T
<400> aaatag	9 gtga tttg						14
<210>	10						
<211>	14	• •					
<212>	DNA	· ·					
<213>	Artificial				,		
<220>							•
<221>	misc_feature						
<223>	detection primer 1783C	oligonucleotide	segment	for	the	B-RAF	mutation G
<400> aatagg	10 tgat tttc						14
<210>	11 .						
<211>	14						•
<212>	DNA						
<213>	Artificial						

<220>								
<221>	misc_feature							
<223>	detection prim 1786G	er oligonucleotide	segment	for	the	B-RAF	mutation C	
	•							
<400> aggtga	11 tttt ggtg	• ;					14	
<210>	12							
<211>	14							
<212>	DNA							
<213>	Artificial							
<220>								
<221>	misc_feature			•				
<223>	detection prim	er oligonucleotide	segment	for	the	B-RAF	mutation T	•
•				•				
<400> ggtgat	12 tttg gtcg						14	ŀ
<210>	13							
<211>	14						•	
<212>	DNA							
<213>	Artificial							
<220>								
-221								
<221>	misc_feature							
<223>		ner oligonucleotide	segment	for	the	B-RAF	mutation 1	-
<223> <400>	detection prim 1796A	ner oligonucleotide	segment	for	the	B-RAF	mutation 1	
<223> <400>	detection prim	ner oligonucleotide	segment	for	the	B-RAF		
<223> <400> ggtcta	detection prim 1796A 13 gcta caga	ner oligonucleotide	segment	for	the	B-RAF		

<213>	artificial							
<220>		•						
<221>	misc_feature	•	٠			•		
<223>	detection primer G1796-97AT	oligonucleotide	segment	for	the	B-RAF	mutation	т
٠	G1/90-9/A1							
<400> gtctag	14 ctac agat	•						14
<210>	15							
<211>	16							
<212>	DNA							
<213>	Artificial							
<220>	·							
<221>	misc_feature		-					
<223>	detection primer 1388A	oligonucleotide	segment	for	the	B-RAF	mutation	G
<400> tgggac	15 aaag aattga							16
<210>	16	·						
<211>	16							
<212>	DNA							
<213>	Artificial	•						
<220>							•	
<221>	misc_feature							
<223>	detection primer 1388T	oligonucleotide	segment	for	the	B-RAF	mutation	G
<400> tgggac	16 aaag aattgt							16
<210>	17							
<211>	16						*.	

	32/01.S125.txt
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	detection primer oligonucleotide segment for the B-RAF mutation G 1394C $$
<400> aaagaa	17 ttgg atctgc 16
<210>	18
<211>	16
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	detection primer oligonucleotide segment for the B-RAF mutation G $1394A$
<400> aaagaa	18 ttgg atctga 16
<210>	19
<211>	16
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	detection primer oligonucleotide segment for the B-RAF mutation G 1394T
<400> aaagaa	19 ttgg atctgt 16

Page 7

<210> 20

		32701.	3123. LAL	•				
<211>	16							
<212>	DNA							
<213>	Artificial							
			•					
<220>								
<221>	misc_feature							٠.
<223>	detection primer 1403C	oligonucleotide	segment	for	the	B-RAF	mutatio	n G
				ř				
<400>	20							
	gatc atttgc							16
-210-	21	·						
<210>	21							
<211>								٠
<212>	DNA	·						
<213>	artificial							
		•						
<220>								
<221>	misc_feature							
<223>	detection primer 1403A	oligonucleotide	segment	for	the	B-RAF	mutatio	n G
<400>	21	*						
gatctg	gatc atttga							16
<210>	22						•	٠
<211>	16							
<212>	DNA	,						
<213>	Artificial							
<220>								
<221>	misc_feature							
<223>	detection primer	oligonucleotide	segment	for	the	B-RAF	mutatio	n G
	1753A							
							•	
<400> aatata	22 tttc ttcata							16

```
32701.ST25.txt
```

<210> 23

<211> 16

<212> DNA

<213> Artificial

<220>

<221> misc_feature

<223> detection primer oligonucleotide segment for the B-RAF mutation T 1782G

<400> 23 aaaaataggt gatttg

16

<210> 24

<211> 16

<212> DNA

<213> Artificial

<220>

<221> misc_feature

<223> detection primer oligonucleotide segment for the B-RAF mutation G
1783C

<400> 24 aaaataggtg attttc

16

<210> 25

<211> 16

<212> DNA

<213> Artificial

<220>

<221> misc_feature

<400> 25 ataggtgatt ttggtg

16

<210>	26	•						
<211>	16							
<212>	DNA							
<213>	Artificial							
								• •
<220>		•						
<221>	misc_feature							
<223>	detection primer of 1787G	oligonucleotide	segment	for	the	B-RAF	mutatio	on T
		•					,	
<400> taggtga	26 attt tggtcg							16
<210>	27							
<211>	16							
<212>	DNA							٠
<213>	Artificial					•		
		•						
<220>								
<221>	misc_feature							
<223>	detection primer 1796A	oligonucleotide	segment	for	the	B-RAF	mutati	on T
<400> ttggtc	27 tagc tacaga		·				•	16
<210>	28	•						
<211>	16							
<212>	DNA							
<213>	Artificial							
•								
<220>								
<221>	misc_feature							
<223>	detection primer	oligonucleotide	segment	for	the	B-RAF	mutati	on T

<400> tggtcta	28 agct acagat						16
	•						
<210>	29						
<211>	20						
<212>	DNA			•			
<213>	Artificial						
<220>		•					
<221>	misc_feature						
<223>	detection primer 1388A	oligonucleotide	segment	for	the	B-RAF	mutation G
<400> acagtg	29 ggac aaagaattga		· .				20
<210>	30	•					
<211>	20	-					
<212>	DNA						
<213>	Artificial						
		·					•
<220>	•						
<221>	misc_feature						
<223>	detection primer 1388T	oligonucleotide	segment	for	the	B-RAF	mutation G
<400> acagtg	30 ggac aaagaattgt						20
<210>	31						
<211>	20						
<212>	DNA						
<213>	Artificial						
<220>							
<221>	misc_feature						•
<223>	detection primer 1394C	oligonucleotide	segment	for	the	B-RAF	mutation G

<400> ggacaa	31 agaa ttggatctgc				:	20
<210>	32					
<211>	20					
<212>	DNA					`: ·
<213>	artificial	•				
<220>						
<221>	misc_feature	:				
<223>	detection primer o	ligonucleotide	segment	for the	B-RAF	mutation G
<400> ggacaa	32 agaa ttggatctga	·				20
<210>	33					
<211>	20					
<212>	DNA					
<213>	Artificial					
		••				
<220>						
<221>	misc_feature					
<223>	detection primer o	ligonucleotide	segment	for the	B-RAF	mutation G
<400> ggacaa	33 agaa ttggatctgt					20
<210>	34					
<211>	20					
<212>	DNA					
<213>	Artificial					
<220>						•
<221>	misc_feature					
<223>		ligonucleotide Pa	segment ge 12	for the	B-RAF	mutation G

1403C

<400> attgga	ctg gatcatttgc 20
<210>	35
<211>	20
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	detection primer oligonucleotide segment for the B-RAF mutation G 1403A
<400>	35 tctg gatcatttga 20
33	
<210>	36
<211>	23
	DNA
<213>	Artificial
220	
<220>	wing for the same
	misc_feature
<223>	detection primer oligonucleotide segment for the B-RAF mutation G $1753A$
<400> gagtaa	36 taat atatttcttc ata 23
<210>	37
<211>	20
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature Page 13

detection primer oligonucleotide segment for the B-RAF mutation T

1782G <400> 37 20 cagtaaaaat aggtgatttg <210> 38 <211> 21 <212> DNA <213> Artificial <220> <221> misc_feature detection primer oligonucleotide segment for the B-RAF mutation G <223> <400> 38 21 cagtaaaaat aggtgatttt c <210> 39 <211> 22 <212> DNA <213> Artificial <220> misc_feature <221> detection primer oligonucleotide segment for the B-RAF mutation C <223> <400> 39 22 gtaaaaatag gtgattttgg tg <210> 40 <211> 23 <212> DNA <213> Artificial

<220>

<223>

<221>	misc_feature
<223>	detection primer oligonucleotide segment for the B-RAF mutation T $1787G$
<400> gtaaaa	40 atag gtgattttgg tcg 23
<210>	41
<211>	20
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	detection primer oligonucleotide segment for the B-RAF mutation T $1796A$
<400>	41 ggtc tagctacaga 20
gatttt	ggtc tagctacaga 20
<210>	42
<211>	21
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	detection primer oligonucleotide segment for the B-RAF mutation T G1796-97AT
<400>	42
gatttt	ggtc tagctacaga t 21
<210>	43
<211>	23
<212>	DNA
~213 <u>~</u>	Artificial

<220>	
<221>	misc_feature
<223>	second primer oligonucleotide segment for the B-RAF mutation G138 8A
<400> tgtcac	43 caca ttacatactt acc 23
<210>	44
<211>	23
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	second primer oligonucleotide segment for the B-RAF mutation $G138$ 8T
<400> tgtcac	44 caca ttacatactt acc 23
<210>	45
<211>	23
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	second primer oligonucleotide segment for the B-RAF mutation G1394C
<400> tgtcac	45 caca ttacatactt acc 23
<210>	46
<211>	23
<212>	DNA
<213>	Artificial

Page 16

<220>								
<221>	misc_feature							
<223>	second primer 4A	oligonucleotide	segment	for	the	B-RAF	mutation	G139
<400> tgtcac	46 caca ttacatact	t acc						23
<210>	47							
<211>	23							
<212>	DNA							
<213>	Artificial							
<220>							•	
<221>	misc_feature							
<223>	second primer 4A	oligonucleotide	segment	for	the	B-RAF	mutation	G139
<400> tgtcac	47 caca ttacatact	t acc	·					23
<210>	48							
<211>	23				÷			
<212>	DNA							
<213>	Artificial							
<220>								
<221>	misc <u></u> feature							
<223>	second primer 3C	oligonucleotide	segment	for	the	B-RAF	mutation	G140
<400> tgtcac	48 caca ttacatact	t acc					·	23
<210>	49							
<211>	23							
<212>	DNA							

Page 17

<213>	Artificial
<220>	
<221>	misc_feature
<223>	second primer oligonucleotide segment for the B-RAF mutation G140
<400> tgtcac	49 caca ttacatactt acc 23
<210>	50
<211>	21
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	detection primer oligonucleotide segment for the B-RAF mutation G 1753A
<400> gacttt	50 ctag taactcagca g 21
<210>	51
<211>	21
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	second primer oligonucleotide segment for the B-RAF mutation T178
<400> gacttt	51 ctag taactcagca g 21
<210>	
	52

<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	second primer oligonucleotide segment for the B-RAF mutation ${\sf G178}$ 3C
<400> gacttt	52 ctag taactcagca g 21
<210>	53
<211>	21
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	second primer oligonucleotide segment for the B-RAF mutation C178 6G
<400> gacttt	53 ctag taactcagca g 21
<210>	54
<211>	21
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	second primer oligonucleotide segment for the B-RAF mutation T178 7G
<400> gacttt	54 ctag taactcagca g 21
-210s	CC

<211> 21

<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	second primer oligonucleotide segment for the B-RAF mutation T179 $6A$
	OA .
<400>	55
	ctag taactcagca g 21
<210>	56
<211>	21
<212>	DNA
<213>	Artificial
<220>	
<221>	misc_feature
<223>	second primer oligonucleotide segment for the B-RAF mutation TG17
	96-97AT
<400>	56
	ctag taactcagca g 21
<210>	57
<211>	23
<212>	DNA
	Artificial
<220>	
<221>	misc_feature
<223>	detection primer oligonucleotide segment for the B-RAF mutation T
	1796-97A
<400> ggaccc	57 actc catcgagatt tct 23
	Page 20

120 4

```
·<210>
        58
<211>
       21
<212> DNA
<213> Artificial
<220>
       misc_feature
<221>
        second primer oligonucleotide segment for the B-RAF mutation T179
 <223>
        6-97A
<400> 58
                                                                          21
cataatgctt gctctgatag g
<210>
        59
<211>
      22
<212> DNA
<213> Artificial
<220>
        misc_feature
 <221>
        detection primer oligonucleotide segment for the B-RAF mutation T
 <223>
        1796-97A
 <400> 59
                                                                          22
gacccactcc atcgagattt ct
 <210>
        60
 <211>
        21
 <212>
        DNA
 <213>
        Artificial
 <220>
 <221>
        misc_feature
        detection primer oligonucleotide segment for the B-RAF mutation T 1796-97A
 <223>
 <400>
        60
```

	32701.ST25.tx	t		•	
acccac	actcca tcgagatttc t				21
<210>	> 61				
<211>	> 20			:	
<212>	> DNA				
<213>	> Artificial				
	•				· ':
<220>	>				
<221>	> misc_feature	•			
<223>	> detection primer oligonucleotide segment 1796-97A	for	the	B-RAF	mutation T
<400> cccact	> 61 ctccat cgagatttct				20
.210-					
<210>					
<211>					
<212>					
<213>	> Artificial				
<220>					
<221>	· · · · · · · · · · · · · · · · · · ·				
<223>	detection primer oligonucleotide segment 1796-97A	for	the	B-RAF	mutation T
<400> ccactc)> 62 tccatc gagatttct				19